

767 Chapman Lake Drive - Warsaw, IN 46852

MATERIAL SAFETY DATA SHEET

Section 1 Product Identification

Product Code: ACLLUV10NA1 Date Prepared: January 30, 2007

Description: UV PEC

Alternate Emergency Phone Number: 574-527-9957

Section 2 Composition; Information on Hazardous Ingredients

	CAS		ACGIH		mm Hg				PROP		
Chemical Common Name	Number	OSHA PEL	TLV	OTHER	@ Temp	NTP	IARC	OSHA	65	TSCA	313
Poly((6-((1,1,3,3-	70624-18-9	15MG.M3	10MG.M3			N	N	N	N	Y	N
tetramethylbutyl)amino)-		MNOR	PNOC								
1,3,5-trizine-2,4-											
diyl)((2,2,6,6-tetramethyl4-											
piperidinyl)imino)-1,6-											
hexanediyl(2,2,6,6-											
tetramethyl-4-											
piperidinyl)immino)))											

Components on TSCA list.

Section 3 Hazards Identification

Inhalation Signs and Symptom of Exposure

Dust and fumes may be irritating to the respiratory system

Skin and Eye Contact Signs and Symptom of Exposure

May be irritating to skin and eyes

Skin Absorption Signs and Symptoms of Exposure

May be irritating

Ingestion Signs and Symptoms of Exposure

Small amounts if swallowed are not expected to cause injury as a pellet

However, see other notes regarding long term.

Carcinogenicity

None believe to be present in De Minimis quantities

Health Hazards (Both Acute and Chronic)

Acute – May be an eye and skin irritant.

Chronic – Contains a light stabilizer that with repeated exposure orally, and potentially by inhalation, may cause effects on the liver, lymph nodes, spleen, and blood based on animal studies. These effect could be seen as inflammation of the lymph nodes, jaundice of the liver, and blood cell changes such as anemia.

Section 4 First Aid Measures

First Aid for Skin

Molten Resins: Cool under running stream of water. Do not attempt to remove from skin. Get medical attention.

First Aid for Eyes

This product is a solid. If in eye, remove as one would any foreign object.

First Aid for Inhalation and Ingestion

In case of adverse exposure to vapors and/or aerosols formed at elevated temperatures, immediately remove victim from exposure. Administer artificial respiration if breathing stopped. Get medical attention. Ingestion not anticipated.

Section 5 Fire Fighting Measures

Foam	Alcohol Foam	CO2	Dry Chemical	Water Fog	Other	Flash Point	Flash Method
YES	YES	YES	YES	YES	NO		

Special Firefighting Procedure

Standard procedures for class A fires

Unusual Fire and Explosion Hazards

Product as shipped is not a flammable dust. However, it can be a flammable dust when fines less than 200 mesh are suspended in air.

Section 6 Accidental Release Measures

Accidental Release Measures

Sweep up spilled material for use or disposal

Section 7 Handling and Storage

Handling and Storage

Keep away from sparks and open flame. Store in a sprinklered warehouse.

Ventilation (Local Exhaust, Mechanical, Special, Other)

Recommended over extruders

Other Precautions

Use local ventilation

Section 8 Exposure Controls, Personal Protection

Respiratory Protection

Appropriate respirator selected and used in accordance with OSHA Subpart 1 (29 CFR 1910.134) required when exposure to airborne contaminant is likely to exceed limits for nuisance dusts.

Ventilation

Recommended over extruders

Protective Gloves

Recommended

Eye Protection

Safety glasses with side shields recommended

Other Protective Clothing or Equipment

Use local ventilation

Work/Hygienic Practices

Use good industrial hygiene practices

Section 9 Physical and Chemical Properties

Boiling Range	Vapor Density	Evaporation Rate	Soluble	Tech Shipping Name
N/A	Lighter than Air	Slower than Ether	Negligible	

Section 10 Stability and Reactivity

Stability

Stable

Hazardous Polymerization

Will not occur

Incompatibility (Materials to Avoid):

Avoid strong oxidizing agents, strong acids, strong bases.

Hazardous Decomposition or by products

Thermal decomposition and burning may produce carbon monoxide, carbon dioxide, nitrogen oxides, and other toxic compounds.

Section 11 Toxicological Information

Ingestion

Please refer to section three for any available information on potential health effects. None expected from the pellet form. Also see section on Health Hazards.

Skin

Please refer to section three for any available information on potential health effects.

Eye

Please refer to section three for any available information on potential health effects.

Inhalation

Negligible hazard at ambient temperature (0-100 Deg. F). Vapors and aerosols may be formed at elevated temperatures.

Section 12 Ecological Information

Ecological Information

Plastic pellets are defined by US EPA under the Clean Water Act (40CFR 122.26) as a "SIGNIFICANT MATERIAL" which may require a storm water permit.

Section 13 Disposal Considerations

Waste Disposal

See 40 CFR 261. Dispose in accordance with local, state, and federal regulations. State or local hazardous waste regulations may apply if different from the federal.

Section 14 Transportation Information

U.S. Department of Transportation (DOT): Not regulated for this mode of transport. International Maritime Dangerous Goods (IMDG): Not regulated for this mode of transport International Air Transportation Authority (IATA): Not regulated for this mode of transport

Section 15 Technical Information

Chemical Common Name	CAS Number	OSHA PEL	ACGIH TLV	OTHER	Percent mm Hg @ Temp	NTP	IARC	OSHA	PROP 65	TSCA	313

Section 16 Other Information

Other Information

The information contained herein is believed to be correct and was obtained from sources believed by Rainmaker Polymers to be accurate. However, no guarantee or warranty of any kind expressed or implied is made with respect to the information contained here.